

INDEX MAPS.

T.27N. R.9E. 2nd Mer.

	144		143		143		143		143		142	
146	6	171	5	164	4	159	3	155	2	151	1	142
	170		170		164		159		155		151	
146	7	170	8	163	9	159	10	154	11	150	12	142
	169		169		163		158		154		150	
146 168	18	169	17	163	16	158	15	154	14	150	13	141
	168		167		162		158		153		149	
145	19	167	20	162	21	157	22	153	23	148	24	141
	167		166		162		157		153		148	
145	30	166	29	161	28	157	27	152	26	148	25	141
	166		165		160		156		152		147	
144	31	165	32	160	33	156	34	152	35	147	36	140
	140		140		140		139		139		139	

Meander of Salamanc R. 171

T.28N. R.9E. 2nd Mer.

	186	186	186	185	185	185						
188	214	214	214									
	6	5	4	3	213	2	211	1	184			
					214	213		211				
	7	8	9	10	212	11	211	12	184			
	Reserve of 10 Sections				213	212		210				
188	18	17	16	15	193	14	191	13	182			
						193		191				
188	19	20	21	22	193	23	190	24	183			
	216=198	199	198	197	196	194	192	190				
187	30	198	29	196	28	194	27	192	26	189	25	183
	216=197		197	196		194		191		189		
187	31	197	32	195	33	193	34	191	35	189	36	183
	182		182	181		181		181		181		

Meander of Wabash R. 199
do. Little River 215

Township 27 North. Range 9 East 2nd Mer. Ind. ¹³⁹

South Boundary

Var. 6°20'E.

West on S. Side of Sec. 36

33.50 at Brook 15th Mt. wide Corn. S. W.

40.00 Set q. Sec. post from which

a Beech 12 in. dia. bears S 66 E 14 Mt. dist. &
a Hickory 18 " " " S 47 W 6 " "

51.00 a Beech 20 " "

80.00 Set Post Co. to Sec. 35 & 36 from which

a Beech 18 in. dia. bears N 86 W 27 Mt. dist. &

an Ash 18 " " " N 38 E 9 " "

Rich land. Timber Beech. Ash &c

West on S. Side of Sec. 35

31.00 at Brook 25th Mt. wide Corn. S. W.

40.00 Set q. Sec. post from which

a Sugar 11 in. dia. bears S 53 E 12 Mt. dist. &

an Ash 8 " " " N 35 W 12 " "

42.77 a Hickory 12 " "

80.00 Set Post Co. to Sec. 34 & 35 from which

a Beech 18 in. dia. bears N 74 E 10 Mt. dist. &

an Elm 24 " " " N 78 W 39 " "

Land & Timber Same as on the last line -

West on S. Side of Sec. 34

13.78 a Cherry 24 in. dia.

35.00 at Brook 35th Mt. wide Corn. S. W.

40.00 Set q. Sec. post from which

a Beech 18 in. dia. bears S 50 W 20 Mt. dist. &

a Sugar 15 " " " S 17 E 20 " "

76.00 Salamanie River 200 Mt. wide Corn. S. W.

80.00 Set Post Co. to Sec. 33 & 34 from which

a Walnut 30 in. dia. bears S 70 W 10 Mt. dist. &

a Buckeye 12 " " " N 89 E 17 " "

Rich land. Timber Beech. Ash. Sugar &c

April 1st 1820.

West on S. Side of Sec. 33

34.79 a Beech 14 in. dia.

40.00 Set of sec. post from which

a Beech 22 in. dia. bears N 60 E 10 W. dist. 8
an Elm 14 " " " S 64 W 39 " "

57.00 Salamanie River Course W.

80.00 Set post cor. to Secs. 32 & 33 on Salamanie River

an Aspew 4 in. dia. bears West 161 W. dist. 8
a W. Oak 30 " " " S 56 W 125 " "

Sand & Timber same as on the last line.

West on S. Side of Sec. 32

3.65 a B. Oak 36 in. dia.

40.00 Set of sec. post from which

a W. Oak 10 in. dia. bears N 19 E 3 W. dist. 8
a Do 10 " " " S 22 E 10 " "

75.50 a Creek 50 W. wide Course N.

80.00 Set post cor. to Secs. 31 & 32 from which

a Beech 24 in. dia. bears N 84 E 31 W. dist. 8
a Sugar 30 " " " S 6 E 26 " "

Sand & Timber same as on the last line.

West on S. Side of Sec. 31 -

30.76 a Beech 10 in. dia.

40.00 Set of sec. post from which

an Ash 15 in. dia. bears N 80 E 31 W. dist. 8

a Beech 14 " " " S 8 W 19 " "

75.48 Intersect W. line Between Towns 26 & 27

Ranges 8 & 9 East at Post from which

a Sugar 18 in. dia. bears S 9 W 23 W. dist. 8

a Poplar 36 " " " S 75 W 34 " "

Rich land. Timber Beech. Ash &c -

East Boundary

Var. 6° 20' E.

North on E. Side of Sec. 36 -

T. 27 N. - R. 9 E. T^{2d} Mer. Indian 141

9.50 at Branch 15 Wst wide Course S. W.
 11.31 a Beech 24 in. dia.
 40.00 Set q. sec. post from which
 a Beech 24 in. dia. bears S 70 W 49 W. dist. 8
 an Ironwood 8 " " " N 32 E 10 " "
 80.00 Set post cor. to Secs. 25 & 36 from which -
 a Beech 24 in. dia. bears N 75 E 24 W. dist. 8
 a Dogwood 8 " " " N 68 W 8 " "
 Land rich, Timber Beech. Sugar. Ash &c.

North on E. Side of Sec. 25

23.50 an Ironwood 10 in. dia.
 40.00 Set q. sec. post from which
 a Beech 36 in. dia. bears S 10 E 35 W. dist. 8
 a Do 24 " " " N 63 W 14 " "
 73.00 a Walnut 24 " "
 80.00 Set post cor. to Secs. 24 & 25 from which
 a Beech 24 in. dia. bears N 37 W 6 W. dist. 8
 a Do - " " " S 40 E 21 " "
 Land & Timber same as on the last line.

North on E. Side of Sec. 24 -

34.00 a Beech 25 Wst wide Course W.
 40.00 Set q. sec. post from which
 a Beech 12 in. dia. bears S 61 E 31 W. dist. 8
 a Do 5 " " " S 74 W 14 " "
 80.00 Set post cor. to Secs. 13 & 24 from which
 a Maple 9 in. dia. bears S 82 W 31 W. dist. 8
 a Hickory 17 " " " S 76 E 8 " "
 Land & Timber same as on the last line.
 April 1st 1820.

North on E. Side of Sec. 13

40.00 Set q. sec. post from which
 an Ash 20 in. dia. bears N 76 E 3 W. dist. 8
 a Poplar 8 " " " S 47 W 18 " "

T. 27 N. - R. 9 E. 2nd Mer. Indiana.

58.57 an Ash 10 in. dia.

80.00 Set post Cor. to Secs. 12 & 13 from which
a Hickory 12 in. dia. bears N 43 W 23 W. dist. 8
a Beech 18 " " " S 85 E 12 " "
Sand & Timber same as on the last line.

North on E. Side of Sec. 12

40.00 Set q. sec. post from which
an Ash 10 in. dia. bears N 11 E 15 W. dist. 8
a Beech 24 " " " N 10 E 26 " "80.00 Set post Cor. to Secs. 14 & 12 from which
an Ironwood 8 in. dia. bears N 47 E 10 W. dist. 8
a Do 10 " " " N 45 W 7 " "
Sand & Timber same as on the last line.

North on E. Side of Sec. 1

40.00 Set q. sec. post from which
a Beech 10 in. dia. bears S 85 E 17 W. dist. 8
a Sugar 8 " " " N 45 W 3 " "83.50 Set post Cor. to Towns 27 & 28 North. Ranges
9 & 10 East from which
a Hawth 10 in. dia. bears N 40 E 20 W. dist. 8
a R. Oak 12 " " " S 20 E 18 " "
Sand rich. Timber Beech. Sugar. Ash
Je. rugth. Spice &c -

North Boundary

Var. 6° 45' E.

West on E. Side of Sec. 36 - T. 28 N. - R. 9 E -

35.63 a Beech 24 in. dia.

40.00 Set q. sec. post from which
an Ash 24 in. dia. bears S 80 E 35 W. dist. 8
an Ironwood 8 " " " N 1 E 3 " "

59.81 a R. Oak 36 " "

80.00 Set post Cor. to Secs. 35 & 36 from which
an Ash 24 in. dia. bears S 34 W 6 W. dist. 8

T. 27 N. - R. 9 E. 2nd Mer. Indiana. ¹⁴³

a Sugar 18 in. dia. bears N 40 W 13 W. dist.
Land rich. Timber Beech. Sugar. Ash &c.

West on S. Side of Sec. 35 T. 28 N. - R. 9 E.
.40 a Hickory 12 in. dia.

40.00 Set q. sec. post from which
a Beech 12 in. dia. bears N 3 E 8 W. dist.
a Do 13 " " " N 48 W 7 " "

80.00 Set post cor. to Sec. 34 & 35 from which
a Dogwood 8 in. dia. bears N 9 W 10 W. dist.
a Beech 24 " " " S 3 E 33 " "
Land & Timber same as on the last line.

West on S. Side of Sec. 34 T. 28 N. - R. 9 E.
2.91 a Beech 24 in. dia.

40.00 Set q. sec. post from which
a Maple 12 in. dia. bears N 34 E 5 W. dist.
a Do 24 " " " S 14 E 5 " "

43.00 a Branch 15 W. wide corner N. W.

52.50 a Do 15 " " " N. E.

80.00 Set post cor. to Sec. 33 & 34 from which
an Elm 24 in. dia. bears N 36 W 6 W. dist.
a Hickory 10 " " " S 74 E 8 " "
Land & Timber same as on the last line.

West on S. Side of Sec. 33 T. 28 N. - R. 9 E.

40.00 Set q. sec. post from which
an Ash 10 in. dia. bears S 28 E 9 W. dist.
a Do 10 " " " N 47 W 14 " "

68.03 a Beech 24 " "

80.00 Set post cor. to Sec. 32 & 33 from which
an Ironwood 8 in. dia. bears S 58 E 12 W. dist.
a Spruce 24 " " " S 53 W 31 " "
Land & Timber same as on the last line.

West on S. Side of Sec. 33 T. 28 N. - R. 9 E.

T. 27 N. - R. 9 E. 3rd Mer. Indiana.

40.00 Set q: sec. post from which
at Beech 12 in. dia. bears S 41° 17' 8" W. dist. 7
an Ash 24 " " " N 25° 17' 4" " "

72.68 at Beech 24 " "

80.00 Set post cor. to Sec. 31 & 32 from which
at Beech 12 in. dia. bears N 73° E 16 W. dist. 7
a Do 24 " " " S 27° E 15 " "
Land & Timber same as on the last line.

West on E. Side of Sec. 31 T. 28 N. - R. 9 E
31.50 at Branch 10 W. wide corner N.W.

40.00 Set q: sec. post from which
at Beech 10 in. dia. bears S 11° E 2 W. dist. 7
a Sugar 12 " " " N 43° W 12 " "

57.50 Intersect E. Bound. of 6 mile Reserve &
Set post from which
an Ash 24 in. dia. bears N 18° W 19 W. dist. 7
a Do 24 " " " S 81° E 16 " "

April 2nd 1820 J. Mc. Donalco.

Continuation by C. Carter - (Var 5° 50' E)

Beginning at E. Boundary of Reserve

15.66 Intersect Range line at Post - Co
to Towns 27 & 28 North Range 8 & 9 East.

West Boundary.

Var. 6° 30' E.

North on E. Side of Sec. 36 T. 29 N. - R. 8 E

17.74 a Lycamore 20 in. dia.

23.17 To Salamancie River & set post from which
a Lym 12 in. dia. bears N 77° 11' W. dist. 7
at Beech 15 " " " N 76° W 10 " "

26.28 over the River & set post from which
a Hackberry 18 in. dia. bears S 45° E 12 W. dist. 7
a Buckeye 8 " " " N 30° W 11 " "

40.00 Set q: sec. post from which
an Ash 15 in. dia. bears S 82° E 17 W. dist. 7

T. 27 N. - R. 9 E. 2nd Mer. Indiana. 145

a Do 12 in. dia. beam N 59 W 26 W. dist.
 80.00 Set post cor. to sec. 25 & 36 from which
 an Ash 15 in. dia. beam N 45 W 11 W. dist.
 an Oak 18 " " " S 29 W 7 " "
 Rich Land. Timber Beech. Ash. Oak &c.

North on E. Side of Sec. 23 T 27 N. - R. 8 E.
 13.63 a W. Oak 24 in. dia.

40.00 Set g. sec. post from which
 a Beech 10 in. dia. beam N 83 E 14 W. dist.
 an Ash 7 " " " N 65 W " "

54.90 a Hickory 18 " "

80.00 Set post cor. to Sec. 24 & 25 from which
 a Beech 18 in. dia. beam N 29 E 36 W. dist.
 a Hickory 18 " " " N 88 W 18 " "
 Land & Timber same as on the last line.

North on E. Side of Sec. 24 T 27 N. - R. 8 E.

10.00 a Creek 50 W. wide Cross S. W.

13.14 an Ash 20 in. dia.

40.00 Set g. sec. post from which
 a Beech 9 in. dia. beam N 53 E 7 W. dist.
 a Do 4 " " " S 89 W 21 " "

68.00 a Hickory 20 " "

80.00 Set post cor. to Sec. 13 & 24 from which
 an Elm 12 in. dia. beam S 9 E 17 W. dist.
 an Ash 18 " " " S 30 W 35 " "

Rich land. Timber Beech. Ash. Oak. Sugar &c

North on E. Side of Sec. 13 T 27 N. - R. 8 E.

2.50 a Brook 30 W. wide Cross S. W.

28.36 To South Boundary of Indian Reserve
 Surveyed in 1820 by

John McDonald S.

Continuation of line by

C. Carter S.

T. 27 N. - R. 8 E. 2nd Mer. Indiana

Var. 5° 30' E

North on E. Side of Sec. 13 T. 27 N. - R. 8 E.

Beginning on N. Boundary of Reserve

11.64 Set gp. sec. post from which

a Sugar 18 in. dia. bears N 11 W 5 to W. dist. 8

a Do 18 " " " 186 E 41 " "

27.85 a Beech 20 " "

41.42 a Hickory 24 " "

51.64 Set post cor. to Secs. 12 & 13 from which

a Hackberry 18 in. dia. bears S 45 E 13 W. dist. 8

a Hickory 18 " " " S 45 W 41 " "

The Old bearing "Oak" is dead.

Land rolling & good 2nd rate. Timber Beech.

Sugar. Oak. Elm. Ash. Walnut & Spice & Hard &c

North on E. Side of Sec. 12 T. 27 N. - R. 8 E.

23.18 a Walnut 36 in. dia.

40.00 Set gp. sec. post from which

an Ash 20 in. dia. bears N 64 E 3 W. dist. 8

a Hickory 8 " " " S 44 W 5 " "

56.70 a Beech 24 " "

67.58 a Do 24 " "

80.00 Set post cor. to Secs. 12 & 13 from which

a Beech 20 in. dia. bears N 52 W 22 W. dist. 8

a Do 18 " " " S 83 E 13 " "

Land level & inclined to west 2nd rate.

Timber Beech. Sugar. Oak. Ash. Elm. Hickory

Lynx &c. Spice. Ironwood. Hard &c

North on E. Side of Sec. 1 T. 27 N. - R. 8 E.

11.53 a W. Oak 10 in. dia.

29.93 a Swamp Ash 12 in. dia.

40.00 Set gp. sec. post from which

a Beech 22 in. dia. bears S 9 E 15 W. dist. 8

a Do 24 " " " N 13 W 35 " "

55.81 a Sugar 24 " "

71.92 a Hickory 24 " "

T. 27 N. - R. 9 E. 2nd Mer. Indiana 147

76.29 Intersect N. Bound. line & set Post Cr. to
 Towns 27 & 28 North, Range 8 & 9 East from which
 a W. Oak 24 in. dia. bears N 45 W 7 1/2 W. dist.
 a Beech 10 " " " S 17 N 28 " "
 Land lent 2nd rate. Timber Beech. Sugar,
 Oak, Elm, Hickory, Ash, Sycamore, Spruce &
 October 12th 1839 Surveyed by
 Chauncy Carter Dep. Sur.

Subdivision

North between Secs. 35 & 36

19.33 a Beech 18 in. dia.
 40.00 Set q. sec. post from which
 an Ironwood 6 in. dia. bears N 81 E 6 W. dist. &
 a Beech 19 " " " S 73 N 11 " "
 60.75 a Do 9 " "
 80.00 Set Post Cr. to Secs. 25, 26, 35 & 36 from which
 an Ash 12 in. dia. bears N 68 W 16 W. dist. &
 a Beech 12 " " " S 61 E 31 " "
 Land lent 2nd rate. Timber Beech. Oak,
 Oak & Ungth Spruce, Ash &

East on Random between Secs. 25 & 36 -

40.00 Set temp. q. sec. post.
 78.33 Intersect E. Bound. line 17 W. & E. of Post.
 Land lent 2nd rate. Timber Oak, Beech, Oak,
 Elm & Ungth Spruce, Ash, Dogwood &

West corner between Secs. 25 & 36 -

18.09 a Beech 24 in. dia.
 39.16 Set q. sec. post at average dist. from which
 a W. Oak 10 in. dia. bears N 49 E 33 W. dist. &
 an Ironwood 7 " " " N 42 N 23 " "
 58.03 an Elm 8 " "
 78.33 To Sec. Corner

S. 27 N. - R. 9 E. 2nd Mer. Indiana

North Section Secs. 25 & 26 -

20.02 a Burr Oak 24 in. dia.

40.00 Set q: sec. post from which

a Beech 12 in. dia. bears N 16 W 34 W. dist. 7
a W. Oak 24 " " " S 22 E 32 " "

60.47 an Ash 24 " "

80.00 Set post cor. to Secs. 23, 24, 25 & 26 from which

a Beech 6 in. dia. bears N 9 W 10 W. dist. 7

a Do 11 " " " N 59 E 15 " "

Sand level 2nd rate. Timber Elm. Hickory,
Beech & ungth Spruce. P. Oak. Ironwood &c

East on Random between Secs. 24 & 25 -

40.00 Set temp q: sec. post.

77.28 Intersect W. line 14 W. 9. of post.

Sand level 2nd rate. Timber Oak. Elm.Beech. Oak &c. Ungth Spruce. P. Oak. Ironwood &c.

West corner between Secs. 24 & 25

15.86 a Beech 22 in. dia.

38.64 Set q: sec. post at average dist. from which

a Beech 10 in. dia. bears N 89 E 14 W. dist. 7

a Do 11 " " " S 89 W 37 " "

56.99 a Do 14 " "

77.28 To sec. corner.

North Section Secs. 23 & 24 -

25.87 a Y. Oak 20 in. dia.

40.00 Set q: sec. post from which

a Beech 10 in. dia. bears N 5 W 32 W. dist. 7

a Do 15 " " " S 6 W 55 " "

55.18 a Do 14 " "

80.00 Set post cor. to Secs. 13, 14, 23 & 24 from which

a W. Oak 9 in. dia. bears S 16 E 15 W. dist. 7

an Oak 22 " " " N 15 W 9 " "

Sand level 2nd rate. Timber Oak. Oak.

J. D. N. R. G. E. 2nd Mer. Indiana ¹⁴⁹

Elm. Hickory &c. Augth Spruce. Ash. Ironwood &c

East on Random between Secs. 13 & 24 -

40.00 Set temp. gp. Sec. Post

78.50 Intersect East Bound. 516 W. S. of post.

Land & Timber same as on the last line.

Note. Suspecting an Error in the measurement of the line between Secs. 23 & 24, we-measured it and found it correct. Then measured on the Range line North from the Cor. to Secs. 24 & 25, and detected an error of 5 chains. Moved gp. Sec. Post on Range line 5 chains South and took Bearings -

a Beech 5 in. dia. bears S 74 N 14 W. dist.

a Do 12 " " " N 61 E 31 " "

80.00 Set Post Cor. to Secs. 13 & 24 on Range

Line 5 chains South from old corner

a Maple 9 in. dia. bears S 82 N 31 W. dist.

a Hickory 17 " " " S 76 E 8 " "

Thence North on Range line & set gp.

Sec. Post 5 chains South from old corner.

a Ash 20 in. dia. bears N 76 E 31 W. dist.

a Poplar 8 " " " S 47 N 18 " "

Thence North to corner of Secs. 12 & 13 which was found to be correct. -

West correct between Secs. 13 & 24 -

16.23 a Beech 20 in. dia.

39.25 Set gp. Sec. Post at average dist. fr. which

a Sycamore 22 in. dia. bears N 37 N 26 W. dist.

a W. Oak 11 " " " S 61 E 11 " "

59.17 a W. Oak 24 " "

78.50 To Sec. Corner.

July 8th 1823.

150 T. J. N. R. G. E. 2nd Mer. Indiana

North Between Secs. 13 & 14

26.54 a Hickory 24 in. dia. &

40.00 Set gp. sec. post from which
an Elm 18 in. dia. bears S 47 W 34 W. dist. &
a W. Oak 12 " " " N 30 E 37 " "

" " & Enter a Swamp -

47.00 Leave the Swamp.

61.40 a W. Oak 36 in. dia.

76.50 Enter a Swamp -

80.00 Set post in Swamp con. to Secs. 11, 12, 13 & 14

a Y. Ash 8 in. dia. bears N 13 E 9 W. dist. &

a Maple 11 " " " S 10 W 15 " "

Land sold 3rd rate. Timber Ash. Maple. Oak,
Hickory & ungth Spice. P. Oak. Rose briars, Alder &c

East on Random between Secs. 12 & 13 -

2.00 Leave the Swamp.

40.00 Set temp. gp. sec. post.

80.17 Intersect E. Bound. line 15 W. S. of post -

Land sold 3rd rate. Ash. Maple. Oak. Elm &c

West corner between Secs. 12 & 13 -

21.13 a B. Oak 20 in. dia.

40.08 Set gp. sec. post at average dist. from which

a B. Oak 11 in. dia. bears N 64 W 25 W. dist. &

a Do 11 " " " N 65 E 8 " "

61.47 a Do 14 " "

80.17 To Sec. Corner.

North Between Secs. 11 & 12.

10.00 Leave the Swamp -

28.50 Enter the Do

40.00 Leave Swamp & set gp. sec. post from which

a W. Oak 18 in. dia. bears N 13 W 3 W. dist. &

an Elm 10 " " " S 47 E 10 " "

58.59 a W. Oak 9 " "

T. J. N. W. G. E. 2nd Mer. Indiana. 157

80.00 Set post cor. to Sect. 1 & 2. 11th 12 from which
a W. Oak 20 in. dia. bears S 16 W 15 1/2th dist. of
N 5 E 48 " "

Sand Swampy 3rd rate. Timber Ash. Maple,
Oak. Elm & Ringth Spruce, Rose briars. P. Oak. &c

East on Random between Sect. 1 & 12 -

35.00 Enter a Swamp.

40.00 Set temp. of Sec. post.

60.00 Leave the Swamp.

79.50 Intersect E Bound. line 33 1/2th S. of post.

Sand Swampy 3rd rate. Timber Ash. Elm,
Maple. Willow & Ringth Rose briars. Alder &c

West correct between Sect. 1 & 12

16.45 a W. Oak 48 in. dia.

39.75 Set of Sec. post at average dist. from which
a Maple 10 in. dia. bears S 27 W 24 1/2th dist. of
a Do 24 " " " N 82 E 137 " "

64.35 a Do 16 " "

79.50 To Sec. Corner.

North Between Sect. 1 & 2

18.50 a W. Oak 24 in. dia.

20.50 Enter a Swamp.

25.50 Leave the do.

40.00 Set of Sec. post from which
a Beech 11 in. dia. bears N 61 W 18 1/2th dist. of
an Elm 14 " " " S 21 E 17 " "

42.00 Enter a Swamp

47.50 Leave the do

53.46 a Beech 26 in. dia.

83.66 Intersect N Bound. line 94 1/2th N. of post
Set post cor. to Sect. 1 & 2 from which
an Elm 18 in. dia. bears S 65 E 19 1/2th dist. of
an Ash 8 " " " N 31 W 20 " "

T. 27 N. - R. 9 E. 2nd Mer. Indiana.

Land Swampy 3rd rate. Timber Ash. Elm.
Willows. Maple. Oak & ungth Willow. Rose
briar. P. Oak. Hawth July 9th 1833 -

North Between Secs. 34 & 35

21.75 a Stream 10 W. wide corner W.

23.13 a Beech 20 in. dia.

40.00 Set q. sec. post from which
a Cherry 7 in. dia. bears S 73 E 17 W. dist. 4
a Beech 22 " " " N 61 W 29 " "

80.00 Set post C. to Secs. 26, 27, 34 & 35 from which
a Hickory 18 in. dia. bears S 54 E 4 W. dist. 4
a Poplar 16 " " " N 33 W 38 " "

Land level 2nd rate. Timber Ash. Oak. Beech.
Elm & ungth. Spruce. P. Oak. Hawth. Dogwood &

East with Random between Secs. 26 & 35.

40.00 Set temp. q. sec. post.

80.05 Intersect Mt. line 6 W. & E. of post.

Land. Timber &c. same as on the last line.

West correct between Secs. 26 & 35.

20.26 a Hickory 20 in. dia.

40.02 Set q. sec. post at arrage dist. from which
a W. Hawth 6 in. dia. bears N 83 W 17 W. dist. 4
an Ironwood 6 " " " S 85 E 5 " "

59.47 a W. Oak 20 " "

80.05 To Sec. Corner.

North Between Secs. 26 & 27

27.27 a W. Oak 22 in. dia.

40.00 Set q. sec. post from which
an Ironwood 6 in. dia. bears N 27 W 17 W. dist. 4
a Beech 20 " " " S 35 E 39 " "

64.45 an Elm 24 " "

80.00 Set post C. to Secs. 22, 23, 26 & 27 from which

S. D. N. R. G. E. 2nd Mer. Indiana. 153

a Beech 22 in. dia. bears S 60 E 31 W. dir. &
 a Do 24 " " " N 60 W 51 " "
 Land rent 3rd rate. Timber Oak. Elm. Oak &
 Ang^{ls}. Spice. P. Ash &

East on Random between Secs 23 & 26 -
 40.00 Set temp. of Sec. post -
 79.95 Intersect Mt. line 22 W. N. of post -
 Land rent 4th rate. Timber Elm.
 Maple, Oak. Ash & Ang^{ls}. Spice,
 P. Ash. Ironwood. Dogwood &

West corner between Secs 23 & 26 -
 25.65 a P. Oak 18 in. dia.
 39.97 Set of Sec. post at arrival dir. from which
 a Beech 20 in. dia. bears S 46 W 33 W. dir. &
 a Do 24 " " " N 62 E 26 " "
 61.20 a Do 18 " "
 79.95 To Sec. corner.

North between Secs 22 & 23
 23.74 a Beech 18 in. dia.
 40.00 Set of Sec. post from which
 a Beech 20 in. dia. bears N 14 W 40 W. dir. &
 a Do 20 " " " South 48 " "
 66.20 a Do 18 " "
 80.00 Set post cor. to Secs 14, 15, 22 & 23 from which -
 a Maple 8 in. dia. bears S 53 E 14 W. dir. &
 a W. Ash 18 " " " N 67 W 29 " "
 Land rent 3rd rate. Timber Oak. Elm.
 Beech. Hickory & Ang^{ls}. Ash. N. air &

East on Random between Secs 14 & 23 -
 40.00 Set temp. of Sec. post -
 79.98 Intersect Mt. line 22 W. N. of post -
 Land & Timber same as on the last line -

T. 27 N. - R. 9 E. 3rd Mer. Indiana.

West Corner between Secs. 14 & 23 -

22.17 a Hickory 18 in. dia.

39.99 Set of Sec. Post at average dist. from which
a Beech 18 in. dia. bears S 85 W 37 1/2 Mi. dist. &
a Sugar 24 " " " S 82 E 43 " "79.98 To Sec. Corner July 12th 1823 -

North Between Secs. 14 & 15

25.83 a Hickory 23 in. dia.

40.00 Set of Sec. Post from which
a W. Ash 36 in. dia. bears N 45 E 9 Mi. dist. &
a Do 24 " " " N 67 E 18 " "

60.31 an Elm 20 " "

80.00 Set Post Co. to Secs. 10, 11, 14 & 15 from which
a Hickory 8 in. dia. bears West 23 1/2 Mi. dist. &
a W. Oak 12 " " " N 69 E 35 " "Land lent. at 3rd rate. Timber Oak. Oak.

Hickory. Elm & Spruce. Ash. Hawthorn & Do

East and Rand on between Secs. 11 & 14

40.00 Set temp. of Sec. Post -

72.00 Erupt a Swamp.

79.68 Intersect W. line 15 Mi. S. of Post -

Land Swampy 3rd rate. Timber Oak. Maple.
Oak. Elm & Spruce. Hornbeam. F. Ash &

West Corner between Secs. 11 & 14 -

17.49 a W. Oak 22 in. dia.

39.84 Set of Sec. Post at average dist. from which
a Hickory 18 in. dia. bears S 3.0 E 18 Mi. dist. &
a Spruce 8 " " " N 57 W 28 " "

59.50 a Hickory 23 " "

79.68 To Sec. Corner.

North Between Secs. 10 & 11

20.24 an Oak 24 in. dia.

J. D. N. - R. G. E. 2nd Mer. Indiana. 155

40.00 Set of sec. post from which
a Syc 18 in. dia. bears S 40 W 10 W. dist. 8
a Sugar 24 " " " N 46 E 29 " "

69.87 an Elm 22 " "

80.00 Set post Cn. to Sec. 2, 3, 10 & 11 from which
a Beech 22 in. dia. bears S 78 W 22 W. dist. 8
a Do 24 " " " S 78 E 59 " "

Land lent out 3rd rate. Timber Oak. Elm.
Syc. Oak. & angth P. Oak. Hawth.

East on Rand. between Sec. 2 & 11 -

33.00 Enter a Swamp -

40.00 Set of sec. post (temp.)

43.00 Leave the Swamp.

79.18 Intersect W. line 4 W. N. of post.

Land lent 2nd rate. Timber Oak. Elm. Hick-
ory & angth Robinia. Hawth. Willow &.

West Corner between Sec. 2 & 11

19.63 a Sugar 8 in. dia.

39.59 Set of sec. post at same dist. from which
a Willow 8 in. dia. bears S 8 E 5 W. dist. 8
a Do 10 " " " N 55 W 8 " "

63.34 a Beech 18 " "

79.18 To Sec. Corner.

North between Sec. 2 & 3

22.82 a Beech 12 in. dia.

40.00 Set of sec. post from which
an Oak 10 in. dia. bears N 11 E 28 W. dist. 8
a Hickory 8 " " " S 11 W 11 " "
a Maple 10 " " " N 45 W 9 " "

60.36 a Beech 14 " "

83.28 Intersect N. Bound. line 9 W. E. of post
when set post Cn. to Sec. 2 & 3 from which

a Beech 20 in. dia. bears N 34 W 23 W. dist. 8

156 T. D. N. R. G. E. 2nd Mer. Indiana

an Ironwood 8 in. dia. bears S 59 E 15 W. dist. 8
Land level wt 3rd rate. Timber Ash. Elm
Beech & ringth Spice. P. Ash. Rose trees &c
July 13th 1823.

North Between Secs. 33 & 34.

5.69 Set post on N. bank of Salamonie River
a W. Oak 30 in. dia. bears S 35 E 12 W. dist. 8
a Do 33 " " " N 16 E 13 " "

22.23 a W. Oak 11 " "

26.50 a Spring. Course W.

32.50 a Do

40.00 Set q: sec. post from which
a Beech 8 in. dia. bears N 51 W - W. dist. 8
an Ironwood 9 " " " S 27 E 5 " "

63.44 a Hickory 24 " "

80.00 Set post ca. to Secs. 27, 28, 33 & 34 from which
a R. Elm 12 in. dia. bears S 60 E 25 W. dist. 8
a Do 14 " " " N 70 W 19 " "
1st q: mile rolling 2nd rate, last 1/2 level,
Timber Beech. Sugar. Oak, Buckeye &
ringth Spice. Pawpaw &c.

East on Random between Secs. 27 & 34 -

40.00 Set temp. q: sec. post.

80.18 Intersect N. S. line at post.

Land level 2nd rate. Timber Ash. Oak. Beech.
Hickory. Elm &c Ironwood. P. Ash. Spice &c

West Corner between Secs. 27 & 34

21.83 a Beech 20 in. dia.

40.09 Set q: sec. post at average dist. from which
a Beech 30 in. dia. bears N 67 W 31 W. dist. 8
a W. Elm 10 " " " S 9 W 20 " "

61.94 a B. Oak 11 " "

80.18 To Sec. corner.

T. 27 N. - R. 9 E. 2nd Mer. Indiana ¹⁵⁷

North Between Sects. 27 & 28

13.85 a Maple 16 in. dia.

40.00 Set gp. sec. post from which

a Beech 12 in. dia. bears S 42 E 25 W. dist. 7

a Do 8 " " " N 18 W 7 " "

63.25 a Do 16 " "

80.00 Set post con. to Sects. 21. 22. 27 & 28 fr. which

a Hickory 12 in. dia. bears S 82 E 29 W. dist. 8

a Bur Oak 11 " " " N 87 W 13 " "

Land lent 2nd rate. Timber Beech. Elm.
Oak. Hickory & Spice. P. Ash. Ironwood &c.

East on Random between Sects. 22 & 27-

40.00 Set temp. gp. sec. post.

80.60 Intersect. M. line 59 W. S. of post.

Land lent 2nd rate. Timber as before

West corner between Sects. 22 & 27

22.57 a Lycamore 30 in. dia.

40.30 Set gp. sec. post at corner dist. from which

a Beech 11 in. dia. bears S 88 E 10 W. dist. 7

a Do 20 " " " N 50 W 47 " "

61.61 a Sugar 18 " "

80.60 To Sec. Corner.

North Between Sects. 21 & 22

14.82 a W. Ash 26 in. dia.

40.00 Set gp. sec. post from which

a Beech 8 in. dia. bears N 36 E 12 W. dist. 8

a Do 11 " " " S 12 W 23 " "

65.58 a Do 10 " "

80.00 Set post con. to Sects. 15. 16. 21 & 22 from which

a Beech 18 in. dia. bears N 29 W 18 W. dist. 8

a Do 8 " " " S 87 W 23 " " 9

a B. Oak 40 " " " S 85 E 10 " "

Land lent 2nd rate. Ash. Beech. Gum. Oak. Spice &c.

158 T. 27 N. - R. 9 E. 2nd Mer. Indian

East on Random between Secs. 15 & 22 -

40.00 Set temp. g. sec. post.

80.34 Intersect W. line 137 W. N. of post.

Land cont 2nd rate. Timber Beech. Oak.

Ash & ungth Spice Ironwood &c -

West correct between Secs. 15 & 22

20.90 at Beech 11 in. dia.

40.17 Set g. sec. post at average dir. fr. which
at B. Oak 10 in. dia. bears S 39 W 30 W. dir. &
a W. Elm - " " " N 55 E 30 " "

62.28 a W. Ash 12 " "

80.34 To Sec. Corner. July 14th 1823 -

North between Secs. 15 & 16 -

24.23 a W. Elm 34 in. dia.

40.00 Set g. sec. post from which

at Beech 12 in. dia. bears N 6 E 37 W. dir. &

a W. Ash 22 " " " S 29 W 27 " "

68.58 a W. Elm 12 " "

80.00 Set post con. to Secs. 9. 10. 15 & 16 fr. which
a W. Ash 12 in. dia. bears N 6 E 13 W. dir.
a W. Elm 34 " " " S 15 W 30 " "

Land cont 2nd rate. cont. Timber Ash. Elm.
Oak. Ironwood, Spice &c

East on Random between Secs. 10 & 15

25.50 Enter a Wet Prairie

38.00 Leave the do

40.00 Set temp. g. sec. post.

80.08 Intersect W. line 162 W. N. of post.

Land cont wet part 2nd rate. Timber Beech.

Sym. Oak. Elm &c. ungth Spice. P. Ash &c

West correct between Secs. 10 & 15.

21.64 a Hickory 18 in. dia -

T. 27 N. R. 9 E. 2nd Mer. Indiana 159

40.02 Set g. sec. post at average dir. from which
a W. Ash 12 in. dia. bears S 31 E 7 1/2 W. dir. of
a Do 10 " " " N 37 W 16 " "
60.49 an Elm 16 "
80.64 To Sec. Corner.

North Between Secs. 9 & 10 -

12.27 a Bur Oak 10 in. dia.
40.00 Set g. sec. post from which
a W. Elm 12 in. dia. bears S 81 E 30 1/2 W. dir. of
a W. Ash 12 " " " S 72 W 8 " "
55.00 Enter a Maple Swamp.
56.68 a Maple 14 in. dia.
64.00 Enter a Wet Prairie
69.00 Leave the wet Prairie & Swamp -
80.00 At W. Ash 12 in. dia. Co. to Secs. 3, 4, 9 & 10 -
a Do 8 " " " bears North 15 W. dir. of
a Do 7 " " " S 6 W 33 " "
Land lent 2nd rate. Timber Birch, Oak, Ash,
Elm, Poplar, Maple & sugar & Spruce, P. Ash &

East on Random between Secs. 3 & 10 -

40.00 Set temp. g. sec. post.
80.66 Intersect N. line 15 1/2 W. N. of post.
Land lent 2nd rate. Timber Birch, Oak, Elm,
Poplar, Maple, Hickory & Spruce, P. Ash &

West corner between Secs. 3 & 10 -

21.87 a W. Ash 11 in. dia.
40.33 Set g. sec. post at average dir. from which
a B. Ash 30 in. dia. bears N 5 W 25 W. dir. of
a Hornbeam 5 " " " S 9 E 9 " "
64.94 a Maple 36 "
80.66 To Sec. Corner.

North Between Secs. 3 & 4 -

T. D. N. W. R. G. E. 2nd Mer. Indiana

- 18.14 a W. Oak 12 in. dia.
 40.00 Set gp. sec. post from which
 a Beech 11 in. dia. bears N 75 E 11 W. dist. 1/2
 a W. Ash 32 " " " S 43 W 29 " "
 58.66 a Do 12 " "
 80.50 Intersect N. Bound. line 35 W. E. of post.
 where set post Co. to Sect. 3 & 4 from which
 a Dogwood 8 in. dia. bears N 46 W 29 W. dist. 1/2
 a Beech 4 " " " S 57 E 35 " "
 1st 1/2 mile land. Last 1/2 rolling good 2nd rate.
 Beech. Oak. Ash. Poplar. Elm. Lyrum & 50
 ang^l species July 15th 1823 -

North Between Sect. 32 & 33

- 2.88 Set post on N. bank of Salamancie River
 a Hackberry 18 in. dia. bears N 16 E 3 W. dist. 1/2
 a Do 40 " " " S 16 W 4 " "
 14.34 To River again & set post from which
 a Norumbian 5 in. dia. bears N 85 E 12 W. dist. 1/2
 a Sycamore 4 " " " S 6 E 42 " "
 Line continues in River.
 40.00 Dr. Sec. Corner in River from which
 a W. Elm 24 in. dia. bears N 81 W 216 W. dist. 1/2
 a Hackberry 18 " " " S 79 W 193 " "
 Line continues in River
 57.12 Leave River & set post on N.W. bank
 a W. Oak 36 in. dia. bears N 75 E 3 W. dist. 1/2
 a Do 18 " " " S 40 W 27 " "
 80.00 Set post Co. to Sect. 28, 29, 32 & 33 from which
 a Beech 10 in. dia. bears S 67 E 11 W. dist. 1/2
 a Do 8 " " " N 34 W 10 " "
 Land a little rolling & rich. Timber Beech.
 Oak. Oak. Buckeye. Hackberry. Spice Pawpaw &

East in Random between Sect. 28 & 33 -

- 35.00 Set temp. post on N. bank of Salamancie R.

T. 27 N. R. 9 E. 2nd Mer. Indiana 161

40.00 Set temp. of sec. post on E. bank of River
 80.00 Intersect N.W. line at the post.
 Land a little rolling, 1st & 1st Vats, Last
 1/2 2nd rate. Timber Beech. Oak. Buckeye.
 Hackberry & ung^d. Spruce. Ash. Ironwood &c

West Corner between Secs. 28 & 33 -

19.90 a Beech 20 in. dia.

40.00 Set of sec. post on E. bank of River from which
 a W. Oak 10 in. dia. bears N 8 W 30 W. dist.
 a Do 10 " " " S 18 E 12 " "

45.00 Set Post on N. bank of River from which
 a Buckeye 8 in. dia. bears N 51 E 13 W. dist.
 a Do 6 " " " S 22 W 14 " "

63.68 a Hackberry 6 " "

80.00 Set Post on to Secs. 28, 29, 32 & 33 -

North Corner Secs. 28 & 29 -

21.35 a Sugar 18 in. dia.

23.00 Set Post on South bank of Saline River
 a Beech 8 in. dia. bears N 58 W 8 W. dist.
 a Do 14 " " " S 63 E 14 " "

26.30 on River & Set Post on N. side from which
 a Blue Oak 16 in. dia. bears N 44 W 11 W. dist.
 a Buckeye 8 " " " S 81 E 10 " "

40.00 Set of sec. Post from which
 a Beech 14 in. dia. bears N 53 E 8 W. dist.
 a Sugar 18 " " " S 87 W 32 " "

59.70 a Beech 20 " "

73.50 a Stream 25 W. wide Cross W -

80.00 Set Post on to Secs. 20, 21, 28 & 29 from which
 a Sugar 24 in. dia. bears N 32 W 16 W. dist.
 a Oak 10 " " " N 61 E 11 " "

Land level 2nd rate. Timber Ash. Elm, Sugar,
 Beech, Oak & ung^d. Spruce. Ash. Ironwood &c

162 J. D. N. R. G. E. 2nd Mer. Indiana

East on Random between Secs. 21 & 28 -
 25.75 a Stream 25 ft. wide from S. W.
 40.00 Set temp. g. sec. post.
 80.17 Intersect Mt. Lindo to W. S. of post -
 Land level 2nd rate. Timber Hickory, Ash, Oak,
 Beech, Sugar & Spice, Ironwood Ash &c

West correct between Secs. 21 & 28 -
 19.32 a Beech 20 in. dia.
 40.08 Set g. sec. post at average dist. from which
 a Beech 18 in. dia. bears N 88 E 13 ft. dist. &
 a Do 14 " " " N 55 W 25 " "
 61.12 an Elm 8 " "
 80.17 To Sec. Corner.

North between Secs. 20 & 21
 24.45 a Hackberry 18 in. dia.
 40.00 Set g. sec. post from which
 a B. Ash 30 in. dia. bears S 57 W 38 ft. dist. &
 a Do 10 " " " N 31 E 35 " "
 58.04 an Elm 12 " "
 80.00 Set post cor. to Secs. 16, 17, 20 & 21 from which
 a B. Ash 8 in. dia. bears S 24 E 7 ft. dist. &
 a Beech 12 " " " N 39 W 26 " "
 Land level 2nd rate. Timber Ash, Oak, Elm,
 Beech, Hickory & Spice, Ash, Ironwood &c

East on Random between Secs. 16 & 21
 40.00 Set temp. g. sec. post.
 79.46 Intersect Mt. Lindo to W. S. of post -
 Land level post set 2nd rate. Timber Beech,
 Ash, Oak, Hickory Elm & Spice, Ash &c

West correct between Secs. 16 & 21 -
 21.24 a W. Ash 24 in. dia.
 39.73 Set g. sec. post at average dist. from which

J. D. N. R. G. E. 2nd Mer. Indiana 163

a Beech 26 in. dia. bears S 86 E 13 W. dist. 8
a Do 18 " " " N 55 W 31 " "
52.61 a W. Oak 24 " "
79.46 To Sec. Corner July 16th 1893 -

North between Sects. 16 & 17 -

28.58 a Beech 24 in. dia.
40.00 Lot of sec. post from which
a W. Oak 36 in. dia. bears S 86 E 22 W. dist. 8
a Hickory 14 " " " N 56 W 24 " "
61.23 a Beech 26 " "
80.00 a W. Oak 36 " " Cor. to Sect. 8, 9, 16 & 17 -
a Beech 14 " " bears N 24 W 15 W. dist.
a Blk. Ash 16 " " " East 55 " "
Land cont 2nd rate, part cont. Timber Beech,
Oak, Elm, Oak, Maple, Hickory & Spruce, P. Oak.

East on Random between Sects. 9 & 16 -

40.00 Lot temp. of sec. post.
45.50 Enter a Swamp 2 1/2 feet deep
51.25 Leave the do
79.96 Intersect N. line 78 W. S. of post.
Land & Timber same as on the last line.

West Corner between Sects. 9 & 16 -

19.33 a Hickory 10 in. dia.
39.98 Lot of sec. post at average dist. from which
a Beech 8 in. dia. bears S 64 W 10 W. dist. 8
a Sugar 10 " " " N 37 E 40 " "
60.43 a Beech 12 " "
79.96 To Sec. Corner.

North between Sects. 8 & 9 -

29.33 a Sugar 12 in. dia.
40.00 Lot of sec. post from which
a Lycium 26 in. dia. bears S 40 E 18 W. dist.

T. 27 N. - W. 9 E. 2nd Mer. Indiana

an Elm 16 in. dia. bears N 35 W 34 W. dist.
 60.80 a N. Elm 20 " "
 80.00 Set post Co. to Sec. 4. 5. 8 & 9 from which
 a Maple 9 in. dia. bears N 13 E 29 W. dist. 8
 a N. Elm 24 " " " N 30 W 33 " "
 Land lent 2nd rate. part wet. Beech, Ash,
 Elm, Oak, Maple, Hickory, Spruce, P. Ash &

East on Random between Sec. 4 & 9 -
 40.00 Set temp. gr. sec. post
 79.90 Intersect N. line 40 W. E. of post -
 1st 1/2 level 2nd rate. Last 1/2 low & dry empty
 Timber Oak, Ash, Beech, Elm, Hickory &
 ring ^{1/2} P. Ash, Spruce &

West corner between Sec. 4 & 9 -
 19.67 a Blk. Ash 7 in. dia.
 39.95 Set gr. sec. post at average dist. from which
 a Maple 10 in. dia. bears N 17 E 21 W. dist. 8
 a N. Oak 8 " " " S 16 E 4 " "
 62.89 a Poplar 16 " "
 79.90 To Sec. Corner.

North Between Sec. 4 & 5
 20.38 a Beech 18 in. dia.
 40.00 Set gr. sec. post from which
 a Beech 11 in. dia. bears N 76 W 24 W. dist. 8
 a N. Elm 8 " " " S 50 E 21 " "
 67.24 a Do 10 " "
 81.39 Intersect N. Bound. line 77 W. E. of post -
 when set post Co. to Sec. 4 & 5 from which
 a N. Oak 40 in. dia. bears N 42 W 40 W. dist. 8
 a Hickory 24 " " " S 26 E 9 " "
 Land lent 2nd rate. Beech, Ash, Oak, Elm,
 Hickory, Sugar, Poplar, Spruce, P. Ash &
 July 17th 1823 -

T. 27 N. R. 9 E. 2nd Mer. Indian a 165

North between Secs. 31 & 32

- 18.33 Set post on S. bank of Salamanic River
at Beech 24 in. dia. bears N 5 E 9 W. dist. 8
at Buckeye 14 " " " S 30 W 10 " "
32.03 On River set post on N. bank from which
a Hickory 9 in. dia. bears S 73 E 31 W. dist. 8
at Box Elder 9 " " " N 44 W 8 " "
40.00 Set g. sec. post from which
at Beech 10 in. dia. bears S 76 W 45 W. dist. 8
at W. Elm 30 " " " N 77 E 40 " "
58.11 at Beech 14 " "
80.00 Set post con. to Secs. 29, 30, 31 & 32 from which
at W. Elm 30 in. dia. bears S 14 W 44 W. dist. 8
at B. Oak 12 " " " N 14 E 26 " "
1st 3/4 rich bottom, last 1/4 level upland.
2nd rate Beech. Sugar. Elm. Ash. Walnut.
Buckeye. Hackberry & Spice. Pawpaw &

East and Random between Secs. 29 & 32 -

- 38.50 Set temp. post on N. bank of River -
45.65 on River
80.76 Intersect Mt. line 14 W. S. of post -
Land W 1/2 hilly 3rd rate. E. 1/2 good level
1st rate. Ash. Buckeye. Hickory Pawpaw, Spice.

West corner between Secs. 29 & 32

- 21.62 an Elm 24 in. dia.
38.11 Set post on E. bank of River from which
an Ironwood 8 in. dia. bears S 7 W 16 W. dist. 8
at Beech 22 " " " N 70 E 23 " "
40.38 Set g. sec. post at same dist. from which
an Ironwood 5 in. dia. bears N 1 E 24 W. dist. 8
at W. Ash 4 " " " N 59 W 11 " "
42.26 Set post on N. bank of River from which
at Dogwood 4 in. dia. bears N 19 E 2 W. dist. 8
at B. Oak 10 " " " S 56 W 26 " "

166 T. 27 N. - R. 9 E. 2nd Mer. Indiana.

80.76 To Loc. corner.

West Return Sect. 30 & 31

20.09 a W. Oak 36 in. dia.

40.00 Set of sec. post from which
a W. Ash 9 in. dia. bears S 23 E 31 1/2^{mi} dist. &
a Beech 20 " " " N 35 W 13 " "

49.00 Enter a thick Willow Swamp.

57.00 Leave do

72.50 a W. Oak 36 in. dia.

75.62 Intersect N. Bound. line 21 1/2^{mi} S. of post.
where set post Co. to Sect. 30 & 31 from which
a W. Ash 24 in. dia. bears East 13 1/2^{mi} dist. &
an Elm 9 " " " S 80 W 26 " "
Land level part wt. Ash. Elm. Oak. Hickory
Beech & Spice. ash &

North Return Sect. 29 & 30

18.10 a Hickory 18 in. dia.

40.00 Set of sec. post from which
a Hickory 16 in. dia. bears West 6 1/2^{mi} dist. &
a Beech 16 " " " S 39 E 40 " "

59.87 a Sugar 16 " "

80.00 Set post Co. to Sect. 19. 20. 29 & 30 from which
a Beech 11 in. dia. bears N 52 W 2 1/2^{mi} dist. &
a Do 20 " " " S 45 E 2 1/2^{mi} " "
Land level 2nd rate. Beech. Sugar. Ash. Elm.
Hickory & Spice. Ash. Ironwood &

East at Random between Sect. 20 & 29 -

9.75 a Creek 40 ft. wide runs N. W.

40.00 Set temp. of sec. post.

80.50 Intersect N. line 180 ft. N. of post -
Land a little rolling 2nd rate. Beech. Ash.
Oak. Hickory. Sugar & ang. & Spice.
Pawpaw. ash &

167

J. D. N. - R. G. E. 2nd Mer. Indiana

West corner between Secs. 20 & 29 -

21.15 a Beech 20 in. dia.

40.25 Set gp. sec. post at average dist. from which
a Beech 8 in. dia. bears S 21 E 13 W. dist. 8
a Do 10 " " " N 45 W 17 " "

59.72 a Sugar 16 " "

80.50 To Sec. corner July 18th. 1893.

West between Secs. 19 & 30

26.34 a Beech 12 in. dia.

40.00 Set gp. sec. post from which
a Beech 8 in. dia. bears N 19 E 26 W. dist. 8
an Elm 12 " " " S 42 W 36 " "

59.73 a W. Ash 24 " "

76.33 Intersect W. Bound. line 225 W. S. of post.
where set post cor. to Secs. 19 & 30 from which
a Beech 10 in. dia. bears N 88 E 46 W. dist. 8
a Hickory 22 " " " S 69 W 17 " "
Land a little rolling 2nd rate. Beech. Ash. Oak,
Hickory. Sugar & Spice. Ironwood &c -

North between Secs. 19 & 20 -

12.50 a Creek 50 W. side corner W.

14.80 a Beech 14 in. dia.

40.00 Set gp. sec. post from which
a Beech 10 in. dia. bears S 42 E 8 W. dist. 8
a Do 8 " " " N 35 W 14 " "

60.50 a Sugar 10 " "

80.00 Set post cor. to Secs. 17, 18, 19 & 20 from which
a Beech 12 in. dia. bears S 49 W 41 W. dist. 8
a Do 10 " " " N 19 E 16 " "
Land level 2nd rate. Beech. Sugar. Ash. Oak,
Hickory &c. Spice. Ironwood &c.

East on Run down between Secs. 17 & 20 -

40.00 Set temp. gp. sec. post.

168 T. D. N. R. G. E. 2nd Mer. Indiana

81.10 Intersect. M. line 210 W. N. of Post.
Land cont 2nd rate. Beech. Ash. Elm. Oak.
Hickory & ungt. Spice, Ash &c.

West corner between Secs. 17 & 20.

22.80 a Hickory 32 in. dia.

40.55 Set gp. sec. post at average dist. from which
a Maple 34 in. dia. bears S 85 E 45 W. dist. 8
a Beech 14 " " " N 80 W 40 " "

65.15 a Do 14 " "

81.10 To Sec. corner.

West between Secs. 18 & 19

4.75 a Brook 10 W. wide Course S. W.

35.04 a W. Oak 36 in. dia.

40.00 Set gp. sec. post from which
a W. Oak 12 in. dia. bears N 5 W 1 W. dist. 4
a Do 38 " " " West 24 " "

60.24 a Lyrus 26 " "

76.33 Intersect W. Bound. line 211 W. S. of Post.
when set post cor. to Secs. 18 & 19 from which
a W. Oak 14 in. dia. bears N 66 E 19 W. dist. 8
a Do 20 " " " S 39 W 18 " "
Land a little rolling 2nd rate. Timber Beech.
Ash. Oak. Hickory & ungt. Spice &c

North from Post on Range line cor. to Secs. 13 & 14
Town 27 North. Range 8 East.

28.36 Intersection of South Bound. of six mile
Reserve. when set post from which
an Ironwood 8 in. dia. bears S 53 W 10 W. dist. 8
a W. Elm 12 " " " N 67 E 12 " "
From this intersection

15.33 To S. E. corner of six mile Reserve
From this corner

106.62 to Post on S. line of six mile Reserve cor. to

T. 27 N. R. 9 E. 2nd Mer. Indiana 169

frac. Sec. 13 & 24 T. 27 N. R. 8 E.

North Between Sec. 17 & 18.

17.92 a W. Oak 12 in. dia.
40.00 Let gp. Sec. post from which
a Beech 8 in. dia. bears N 77 W 16 W. dist. 1/2
a Syc 20 " " " N 76 E 15 " "
61.58 a W. Elm 12 " "
80.00 Let post cor. to Sec. 7, 8, 17 & 18 from which
a Beech 22 in. dia. bears N 30 W 18 W. dist. 1/2
a W. Ash 12 " " " North 11 " "
Land cont. 2nd rate. Beech, Ash, Sugar,
Syc, Oak, Hickory & ring^d Spruce & Ironwood &c.

East on Random between Sec. 8 & 17

40.00 Let temp. gp. Sec. post
81.00 Intersect. N. line 214 W. N. of post
Land level 2nd rate. post cor. Trees Beech
Ash, Oak, Hickory, Elm & ring^d Spruce &c.

West corner between Sec. 8 & 17

25.00 a Beech 16 in. dia.
40.50 Let gp. Sec. post at average dist. from which
a Beech 8 in. dia. bears N 9 E 1 W. dist. 1/2
a Do 8 " " " 29 W 10 " "
59.50 a Do 18 " "
81.00 To Sec. Corner.

West Between Sec. 7 & 18

31.07 a Beech 18 in. dia.
40.00 Let gp. Sec. post from which
a Beech 16 in. dia. bears N 29 E 8 W. dist. 1/2
a Do 14 " " " 29 W 33 " "
41.00 a stream 25 W. wide corner N. W.
61.94 Intersect E. Bound. of Six mile Reserve
when set a post from which

T. 27 N. - R. 9 E. 2nd Mer. Indiana.

a W. Ash 26 in. dia. trans N 27 E 41 W. dist
 a Beech 12 " " " S 21 W 18 "
 Thence measured South on said line
 43.35 To the corner

North between Sect. 7 & 8

17.16 a Bur Oak 16 in. dia.
 40.00 Set of sec. post from which
 a Beech 8 in. dia. trans S 50 E 15 W. dist. 4
 a Do 11 " " " N 67 W 12 " "

39.08 a W. Elm 16 " "

80.00 Set post C. to Sect. 5 & 6. } 48 from which
 a Beech 12 in. dia. trans N 57 E 8 W. dist.
 a W. Elm 10 " " " S 41 W 29 " "

Land level 2nd rate Beech. Oak. Ash. Elm,
 Hickory. Sycamore & Spice. Ironwood &c
 July 19th 1823

East on Random between Sect. 5 & 8

40.00 Set temp. of sec. post.

80.62 Intersect W. line 216 W. N. of post.
 Land &c same as on the last line.

West corner between Sect. 5 & 8

24.32 a W. Ash 18 in. dia.

40.31 Set of sec. post at average dist. from which
 a Beech 10 in. dia. trans N 78 W 9 W. dist.
 a Do 14 " " " N 84 E 28 " "

80.62 To Sec. Corner

West between Sect. 6 & 7

17.60 a W. Elm 36 in. dia.

27.00 Enter a Swamp.

31.50 Leave Do

36.50 a Prairie wet & boggy

40.00 Set of sec. post in water 2 1/2 feet deep

T. 27 N. - R. 9 E. 2nd Mer. Indiana ¹⁷¹

a Willow 9 in. dia. bears S 20 E 113 W. dist. 8
 a Do 8 " " " N 18 E 207 " "
 60.69 Intersect E. Bound. of Six mile Reserve
 in S. W. margin of old Prairie & set a post
 a Blk. Ash 8 in. dia. bears N 25 E 13 W. dist. 8
 an Aspen 16 " " " S 25 W 13 " "
 Land low & swampy, Ash, Elm, Maple
 Aspen, Oak, Hickory, Beech & Spice. Willow &c

North Petrocon Sec. 5 & 6

17.44 a W. Oak 30 in. dia.
 40.00 Set gp. sec. post from which
 a W. Elm 8 in dia. bears S 33 E 24 W. dist. 8
 a Do 8 " " " N 20 W 16 " "
 61.30 a Beech 12 " "
 78.59 Intersect N. Bound. line 98 W. E. of post
 where set post on to Sec. 5 & 6 from which
 a Hickory 2 in. dia. bears N 34 E 29 W. dist. 8
 a W. Elm 8 " " " S 44 W 34 " "
 Land level 2nd rate. Timber Beech, Ash, Oak,
 Hickory, Elm &c. Augth Spice, P. Oak &c
 July 20th 1823

Measured West from gp. sec. post in
 South Boundary of Sec. 34

35.37 To Salamancie River set post from which
 a Blue Ash 24 in. dia. bears S 57 E 16 W. dist. 8
 a Beech 14 " " " N 76 W 11 " "

Meanders of Salamancie River
 Beginning at post in South Boundary
 thence down stream on N. E. bank.

Courses	Distances	Remarks -
		In Sec. 34 -
N 36 W	6.75	To post in line of Sec. 33 & 34

172 J. J. N. R. G. E. 2nd Mer. Indiana

N57W 7.00 In Sec. 33.

N13W 10.00

N6E 10.00

2.75 a Spring branch

N34W 13.00

5.00 High banks.

N41W 5.00

N37W 6.00

N65W 7.00

N68W 13.00

N40W 10.00

South 9.00

N33E 13.50

5.00 Enter bottom

N32W 14.50

N33W 22.00

N78W 12.83

To Post in line of sec. 32 & 33 -

N49W 6.00

In Sec. 33

N31E 3.50

N45E 3.50

N9 $\frac{3}{4}$ E 5.75

To Post in line of sec. 32 & 33

N12E 5.00

In Sec. 33 again

N20E 3.00

N9W 9.00

(wont close)

North 20.00

5.00 Head of Island. 17.00 foot of St.

N46E 10.00

a Ripple

N60E 28.50

25.00 Bluffs

N39E 3.59

To Post in line of sec. 28 & 33 -

N29E 22.50

In Sec. 28.

N12E 14.00

N17W 7.50

N43W 5.00

N67W 6.00

N79W 4.00

N35W 10.00

Nov. 4th 1823 -

N33W 9.50

5.00 Lean Bluffs & Enter narrow bottom

J. D. N. R. G. E. 2nd Mer. Indiana. 173

244 W 8.50

278 W 6.50

W 77 W 14.00

268 W 2.76

To Post in line of sec. 28 & 29.

257 W 6.00

In Sec. 29.

234 W 14.00

264 W 4.00

Lean bottom & rain hills

283 W 3.00

274 W 15.00

243 W 8.00

Youth 4.00

217 W 4.00

220 E 7.00

240 E 6.00

5.00 Lean bluffs

28 E 8.00

235 W 4.00

high bluffs

261 W 10.00

To Post in line of sec. 29 & 32

223 W 5.00

In Sec. 32

24 E 8.50

230 E 8.50

Center bottom

223 E 17.50

232 W 3.00

252 W 4.00

2.00 Head of an Island

233 W 5.00

217 E 5.00

foot of Island

256 W 3.00

284 W 3.50

247 W 5.50

236 E 6.00

263 E 7.50

273 E 13.00

235 E 3.50

253 W 9.50

284 W 23.00

N 86 W 12.50

N 53 W 5.00

N 12 W 4.00

N 55 E 7.50

N 12 W 6.50

N 52 W 5.00

N 75 W 5.00

N 79 W 3.95

at 50 the Head of an Island -
foot of Island.

To Post in line of sec. 31 & 32.

S 37 W 5.00

S 12 E 3.00

South 4.00

West 4.00

N 45 W 7.00

N 30 W 8.00

N 65 W 8.00

S 55 W 4.50

S 44 W 16.00

N 76 W 6.50

N 30 W 17.00

N 66 W 11.00

S 51 W 8.00

S 30 W 10.00

S 48 1/2 W 2.85

In Sec. 31

5.00 High bluffs

great ripple & Leare bluffs
To Post in West Boundary line.Meanders of South East bank of River
Beginning at Post in West Boundary
thence up stream.

Course Distances

Remarks.

N 60 E 7.00

N 18 E 10.00

N 63 E 5.00

S 63 E 8.00

S 27 E 10.00

S 22 E 2.50

S 53 E 8.00

In Sec. 31

5.00 high banks.

175

J. 27 N. N. G. E. 2nd Mr. Indian

East	6.00	
N51 E	5.00	at 3.00 Leave the high banks " 4.50 a stream 50 ft. wide
N36 E	7.50	mouth of Bayou
N59 E	3.50	
N42 E	3.00	Head of Bayou
N73 E	5.00	
N37 E	15.00	
N83 E	8.00	
N57 E	2.85	To post in line of sec. 31 & 32
N28 E	4.00	In sec. 32
N7 W	6.00	
N47 E	3.50	
N53 E	7.50	Point of Island.
N46 W	8.00	Head of Do
South	5.00	
N19 E	10.00	
N42 E	8.00	1.50 Pond's Creek 50 ft. wide
N80 E	6.31	
East	20.91	with Iron line to 1/2 mile post.
N74 E	12.50	
N47 E	6.50	
N26 E	3.50	
N4 W	3.50	
N40 W	4.00	
N77 W	15.00	5.50 a bottom Nov. 9 th 1823 -
N59 W	7.00	
N46 E	3.00	
N87 E	5.50	
N30 E	13.50	5.00 Foot of Island
N7 W	4.00	Head of Do
North	9.00	
N26 W	24.00	
N6 E	11.50	
N69 E	4.25	To post in line of sec. 29 & 32.

176 T. 27 N. - R. 9 E. 2nd Mer. Indiana.

N 52 E 6.00 In Sec. 29

N 19 E 9.00

N 21 W 20.00 Small Bayou & Island.

N 27 E 7.00

N 42 E 16.50

S 35 E 7.00

S 25 E 9.00

S 46 E 6.50

S 78 E 2.88 To post in line of sec. 28 & 29

S 72 E 5.00 In Sec. 28

S 81 E 17.50

N 43 E 32.00

S 68 E 3.50

S 25 E 6.00

S 4 E 7.50

S 25 W 20.00

S 40 W 6.00

S 28 1/4 W 5.75 To post in line of sec. 28 & 33 -

S 43 W 5.00 In Sec. 33.

S 60 W 25.00

S 66 W 7.00 5.00 Bluffs

S 39 W 3.50

S 38 1/2 W 1.94 To post in line of sec. 32 & 33 -

S 30 W 6.50 In Sec. 32 very high bluffs -

S 14 W 6.00

S 11 E 21.00

S 12 W 10.00

S 26 W 9.00

S 17 E 5.50

S 59 1/2 E 4.02 To post in South Boundary line.
Thence from post in South Boundary
of Sec. 33 - (Bearings)
an Oak 5 in. dia. has S 52 E 36 W. during

T. 27 N. - R. 9 E. 2nd Mer. Indiana 177

at Hornbeam 4 in. dia. bears S 24 N 20 W. dir.

N 67 E	9.00	In Lec. 33 -
N 70 E	7.00	
N 36 E	11.00	3.25 a Creek 5 W. side.
N 25 E	7.00	
N 28 W	5.00	
N 32 W	6.00	
North	10.00	
N 44 E	7.50	
N 65 E	10.00	
S 70 E	6.50	
S 39 E	14.50	
S 31 E	8.50	
S 7 W	11.00	
S 26 E	11.00	
S 46 1/2 E	8.75	To Post in South Boundary - Surveyed in 1833 by L. F. Volk Dep. Sur.

Subdivision of the Portion of Six Mile Reserve lying in T. 27 N. R. 9 E -

West Between Secs. 7 & 18

14.04 Intersect N. Bound. line 197 W. S. of Post
when set Post Co. to Sec. 7 & 18 from which
a Sugar 20 in. dia. bears N 14 E 44 W. dir. &
a Beech 15 " " S 25 E 33 " "
Land rolling 2nd rate.

West Between Secs. 6 & 7

15.23 Intersect N. Bound. line 171 W. S. of Post
when set Post Co. to Sec. 6 & 7 from which
a W. Oak 18 in. dia. bears N 56 E 13 W. dir. &
a Beech 18 " " S 41 W 26 " "
Land level & wet.

T. 27 N. - R. 9 E. 2nd Mer. Indiana.

October 26th 1839 Surveyed by
C. Carter Dep. Sur.

I certify that the foregoing transcripts of
the field Notes of Township 27 North, in
Range 9 East of the 2nd Meridian, in
Indiana, has been compared with the
original in this office & found to be correct.

Surveyor General's Office,
Cincinnati, June 1st 1843

William Johnston
Sur. Genl.